

# Myoelectric Hands Myo Select



## Steeper Myoelectric Hands Myo Select

The Select range of myoelectric hands are electrically operated devices designed to meet the needs of most upper limb amputees. This range offers durability, reliability and quality design features. With a powerful mechanism and a grip force output suitable for most routine daily tasks provided to the user.

With on-board microprocessor technology, our myoelectric hands offer maximum flexibility. Innovative, built-in electronics provide a choice of nine control modes for the hand, selected using the dial switch feature. The on-board system also includes an electronic 'gear change' allowing power to be stored and released on demand.

#### **Features**

- Controlled with myoelectrodes or switch inputs
- Electronics equipped with patented Powerforce™ technology
- Supercapacitor technology (sizes 71/4 - 81/4) provides efficient control and power conservation

- Nine control modules
- Electronic 'gear change'
- 2 wrist options available; Quick Disconnect Wrist and Friction Wrist
- 2 thread options available; North American Thread (1/2 x 20 TPI) and European Thread  $(M12 \times 1.5 mm)$



The Myo Select myoelectric hand offers durability, reliability and quality design features.

The Steeper myoelectric hand with hand shell (pictured), is compatible with our full range of Elegance gloves, providing full hand function with excellent cosmetic properties. Our range of full-length. long-mould PVC and silicone gloves are designed exclusively for the rigours of functional activity associated with a myoelectric hand.

For further information on compatible components and gloves please refer to the Steeper Upper Limb Catalogue.

#### **Technical Information**

Technica	al Information : Myo	Select Hand Wit	h Quick Disconne	Disconnect Wrist					
(Performance figures have been measured with a fitted hand shell)									
Size	Speed	Grip Strength	Max Opening	Weight with Inner Glove	Length (Base Hand Shell to Thumb Tip)				
6 ¾	1.5 seconds	40N (9.5lbf)	65mm (2 %")	320g (11oz)	116mm (4 ½")	7.2V DC			
7 1/4	0.8 seconds	80N (19lbf)	100mm (4")	470g (1lb)	140mm (5 ½")	7.2V DC			
7 ¾	0.8 seconds	80N (19lbf)	100mm (4")	510g (1lb 2oz)	143mm (5 %")	7.2V DC			
8 1/4	0.8 seconds	80N (19lbf)	100mm (4")	520g (1lb 2oz)	147mm (5 ¾")	7.2V DC			

#### **Wrist Options**



Quick Disconnect Wrist







North American Thread (½" x 20TPI)

**Thread Options** 

European Thread  $(M12 \times 1.5 mm)$ 

#### For further wrist options please refer to the Steeper Upper Limb Catalogue.

### **Powering the Myo Select**

Powering the Myo Select is easy thanks to Steeper's new S-Charge System, which employs the very latest advances in battery technology.

The S-Charge System is a user friendly, flexible, internal battery system with an OLED display and a magnetic charger, which is fitted into a prosthetic forearm. The S-Charge System allows the user to easily activate, deactivate and charge their myoelectric hand, all whilst confidently monitoring the power status during use through the display of real-time battery life icons.



#### **Myo Select Part Numbers**

Please refer to the Steeper Upper Limb Catalogue for additional components, hand shell and Elegance gloves. To order please contact customerservices@steepergroup.com.

Myo Select - Quick Disconnect Wrist									
Part Number	Size	Left/Right	Description	Wrist Unit Option	Male Glove Number	Female Glove Number			
MYA675LQD	6 ¾	Left	Child (8-12 yrs)	40mm (1½")	310	310			
MYA675RQD	6 ¾	Right	Child (8-12 yrs)	40mm (1½")	311	311			
MYA725LQD	7 1/4	Left	Adolescent/Adult	45mm (1 ¾")	306	304			
MYA725RQD	7 1/4	Right	Adolescent/Adult	45mm (1 ¾")	307	305			
MYA775LQD	7 3/4	Left	Adult	50mm (2")	302	312			
MYA775RQD	7 3/4	Right	Adult	50mm (2")	303	313			
MYA825LQD	8 1/4	Left	Adult	54mm (2 ½")	300	n/a			
MYA825RQD	8 1/4	Right	Adult	54mm (2 ½")	301	n/a			
Myo Select - Fr	iction Wri	st							
Part Number	Size	Left/Right	Description	Wrist Unit Option	Male Glove Number	Female Glove Number			
1YA675LFW	6 3/4	Left	Child (8-12 yrs)	45mm (1 ¾")	310	310			
4YA675RFW	6 ¾	Right	Child (8-12 yrs)	45mm (1 ¾")	311	311			
MYA725LFW	7 1/4	Left	Adolescent/Adult	50mm (2")	306	304			
MYA725RFW	7 1/4	Right	Adolescent/Adult	50mm (2")	307	305			
MYA775LFW	7 3/4	Left	Adult	54mm (2 ½")	302	312			
MYA775RFW	7 3/4	Right	Adult	54mm (2 ½")	303	313			
1YA825LFW	8 1/4	Left	Adult	54mm (2 ½")	300	n/a			
MYA825RFW	8 1/4	Right	Adult	54mm (2 ½")	301	n/a			
Myo Select - N	orth Ameri	ican Thread (½" x	( 20TPI)						
Part Number	Size	Left/Right	Description	Wrist Unit Option	Male Glove Number	Female Glove Number			
MYA675LNA	6 3/4	Left	Child (8-12 yrs)	40mm (1½")	310	310			
MYA675RNA	6 ¾	Right	Child (8-12 yrs)	40mm (1½")	311	311			
4YA725LNA	7 1/4	Left	Adolescent/Adult	45mm (1 ¾")	306	304			
1YA725RNA	7 1/4	Right	Adolescent/Adult	45mm (1 ¾")	307	305			
MYA775LNA	7 3/4	Left	Adult	50mm (2")	302	312			
MYA775RNA	7 3/4	Right	Adult	50mm (2")	303	313			
MYA825LNA	8 1/4	Left	Adult	54mm (2 ½")	300	n/a			
MYA825RNA	8 1/4	Right	Adult	54mm (2 ½")	301	n/a			
Λyo Select - Ει	uropean Th	nread (M12 x 1.5m	ım)						
Part Number	Size	Left/Right	Description	Wrist Unit Option	Male Glove Number	Female Glove Number			
1YA675LEU	6 ¾	Left	Child (8-12 yrs)	40mm (1½")	310	310			
MYA675REU	6 ¾	Right	Child (8-12 yrs)	40mm (1½")	311	311			
1YA725LEU	7 1/4	Left	Adolescent/Adult	45mm (1 ¾")	306	304			
MYA725REU	7 1/4	Right	Adolescent/Adult	45mm (1 ¾")	307	305			
	7 3/4	Left	Adult	50mm (2")	302	312			
MYA775LEU									
	7 3/4	Right	Adult	50mm (2")	303	313			
MYA775LEU MYA775REU MYA825LEU			Adult Adult	50mm (2") 54mm (2 ½")	303 300	313 n/a			

SteeperUSA, 8666 Huebner Road, Suite 112, San Antonio, TX 78240, USA
Tel: 210 481 4126 Email: inquiries@steeperusa.com www.steeperusa.com